

CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that this paper is being facsimile transmitted to the Patent and Trademark Office on the date shown below to Examiner Brenda Lamb at TC 1700(703) 872-9310.

Date: 11-11-03

Susan Hess

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICANT : Selcer et al.
INVENTION: : ROTARY CABLE TREATMENT METHOD
AND APPARATUS
SERIAL NUMBER : 09/825,660
FILING DATE : April 3, 2001
EXAMINER: : Lamb, Brenda
GROUP ART UNIT : 1734
ATTORNEY DOCKET NO. : 2166.006

TRANSMITTAL LETTER

Mail Stop: Non-Fee Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Please find enclosed for filing:

☒ Response to Notice of Non-Compliant Amendment

Respectfully submitted,

Date: 11/11/03

C. Fred Rosenbaum
C. Fred Rosenbaum
Registration No. 27,110
McHale & Slavin, P.A.
2855 PGA Boulevard
Palm Beach Gardens, FL 33410
Telephone: (561) 625-6575
Telefax: (561) 625-6572
e-mail: palmbeach@mspatents.com

FAX

McHale & Slavin, P.A.

■ *Intellectual Property Attorneys* ■



**RECEIVED
CENTRAL FAX CENTER**

NOV 12 2003

OFFICIAL

Date: November 11, 2003

To: Examiner Brenda Lamb
Group Art Unit 1734

Recipient Fax #: (703) 872-9310

From: Susan Hess
McHale & Slavin

Reference / Matter #: 2166.006

Subject: U.S. Serial No. 09/825,660

PAGES (Including Cover Page): 12

Remarks

Enclosed please a Response to Notice of Non-Compliant Amendment for the above identified matter.

In the event you have any questions, please do not hesitate to contact our office.

McHale & Slavin, P.A.

2855 PGA Boulevard - Palm Beach Gardens - Florida - 33410

Office 561.625.6575 • Fax 561.625.6572 • E-mail PalmBeach@m spatents.com

www.MSPATENTS.com

PRIVACY AND CONFIDENTIALITY NOTICE

The information contained in the facsimile transaction is confidential and private; it is intended to be disclosed only to the individual(s) to whom it is addressed. Any other person who reads, uses and/or discloses the information it contains may be violating Federal and/or State rights of the sender and the intended recipient(s). If this fax has been transmitted to the wrong number, please immediately destroy it and notify the sender of the mistaken transmission by fax or telephone.